


Tool Series 212:!
Solid Carbide Slow Spiral / Stub Length Drills, 15° Helix, 135° Split Point, Wire Sizes! !


Uncoated Tool Number	Coated Tool Number	Cutting Diameter	Cutting Diameter	Overall Length	Flute Length
212-0400	212-0400-R	60	.0400	1-1/2	1/2
212-0410	212-0410-R	59	.0410	1-1/2	1/2
212-0420	212-0420-R	58	.0420	1-1/2	1/2
212-0430	212-0430-R	57	.0430	1-1/2	1/2
212-0465	212-0465-R	56	.0465	1-1/2	1/2
212-0520	212-0520-R	55	.0520	1-1/2	1/2
212-0550	212-0550-R	54	.0550	1-1/2	1/2
212-0595	212-0595-R	53	.0595	1-1/2	1/2
212-0635	212-0635-R	52	.0635	1-11/16	11/16
212-0670	212-0670-R	51	.0670	1-11/16	11/16
212-0700	212-0700-R	50	.0700	1-11/16	11/16
212-0730	212-0730-R	49	.0730	1-11/16	11/16
212-0760	212-0760-R	48	.0760	1-11/16	11/16
212-0785	212-0785-R	47	.0785	1-3/4	3/4
212-0810	212-0810-R	46	.0810	1-3/4	3/4
212-0820	212-0820-R	45	.0820	1-3/4	3/4
212-0860	212-0860-R	44	.0860	1-3/4	3/4
212-0890	212-0890-R	43	.0890	1-3/4	3/4
212-0935	212-0935-R	42	.0935	1-3/4	3/4
212-0960	212-0960-R	41	.0960	1-13/16	13/16


(Cutting diameter sizes 40 to 21 are continued on the next page)

These tools are engineered and manufactured to BEST CARBIDE specifications.
All specifications are subject to change without prior notice.

... simply the best choice for advanced carbide cutting tools!

Tool Series 212:!

Solid Carbide Slow Spiral / Stub Length Drills, 15° Helix, 135° Split Point, Wire Sizes!



Uncoated Tool Number	Coated Tool Number	Cutting Diameter	Cutting Diameter	Overall Length	Flute Length
212-0980	212-0980-R	40	.0980	1-13/16	13/16
212-0995	212-0995-R	39	.0995	1-13/16	13/16
212-1015	212-1015-R	38	.1015	1-13/16	13/16
212-1040	212-1040-R	37	.1040	1-13/16	13/16
212-1065	212-1065-R	36	.1065	1-13/16	13/16
212-1100	212-1100-R	35	.1100	1-7/8	7/8
212-1110	212-1110-R	34	.1110	1-7/8	7/8
212-1130	212-1130-R	33	.1130	1-7/8	7/8
212-1160	212-1160-R	32	.1160	1-7/8	7/8
212-1200	212-1200-R	31	.1200	1-7/8	7/8
212-1285	212-1285-R	30	.1285	1-15/16	15/16
212-1360	212-1360-R	29	.1360	1-15/16	15/16
212-1405	212-1405-R	28	.1405	1-15/16	15/16
212-1440	212-1440-R	27	.1440	2-1/16	1
212-1470	212-1470-R	26	.1470	2-1/16	1
212-1495	212-1495-R	25	.1495	2-1/16	1
212-1520	212-1520-R	24	.1520	2-1/16	1
212-1540	212-1540-R	23	.1540	2-1/16	1
212-1570	212-1570-R	22	.1570	2-1/8	1-1/16
212-1590	212-1590-R	21	.1590	2-1/8	1-1/16


(Cutting diameter sizes 20 to 1 are continued on the next page)

These tools are engineered and manufactured to BEST CARBIDE specifications. All specifications are subject to change without prior notice.

... simply the best choice for advanced carbide cutting tools!

Tool Series 212:!

Solid Carbide Slow Spiral / Stub Length Drills, 15° Helix, 135° Split Point, Wire Sizes!



Uncoated Tool Number	Coated Tool Number	Cutting Diameter	Cutting Diameter	Overall Length	Flute Length
212-1610	212-1610-R	20	.1610	2-1/8	1-1/16
212-1660	212-1660-R	19	.1660	2-1/8	1-1/16
212-1695	212-1695-R	18	.1695	2-1/8	1-1/16
212-1730	212-1730-R	17	.1730	2-3/16	1-1/8
212-1770	212-1770-R	16	.1770	2-3/16	1-1/8
212-1800	212-1800-R	15	.1800	2-3/16	1-1/8
212-1820	212-1820-R	14	.1820	2-3/16	1-1/8
212-1850	212-1850-R	13	.1850	2-3/16	1-1/8
212-1890	212-1890-R	12	.1890	2-1/4	1-3/16
212-1910	212-1910-R	11	.1910	2-1/4	1-3/16
212-1935	212-1935-R	10	.1935	2-1/4	1-3/16
212-1960	212-1960-R	9	.1960	2-1/4	1-3/16
212-1990	212-1990-R	8	.1990	2-1/4	1-3/16
212-2010	212-2010-R	7	.2010	2-1/4	1-3/16
212-2040	212-2040-R	6	.2040	2-3/8	1-1/4
212-2055	212-2055-R	5	.2055	2-3/8	1-1/4
212-2090	212-2090-R	4	.2090	2-3/8	1-1/4
212-2130	212-2130-R	3	.2130	2-3/8	1-1/4
212-2210	212-2210-R	2	.2210	2-7/16	1-5/16
212-2280	212-2280-R	1	.2280	2-7/16	1-5/16

These tools are engineered and manufactured to BEST CARBIDE specifications. All specifications are subject to change without prior notice.

... simply the best choice for advanced carbide cutting tools!